



Under the Paperwork Reduction Project of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	1	of	12	Attorney Docket Number	ANGES-9

U.S. PATENT DOCUMENTS					
Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code ² (# known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
	1	5,631,237	5/20/1997	Dzau et al.	
	2	6,303,582	10/16/2001	Eljamal, et al	

FOREIGN PATENT DOCUMENTS						
Examiner Initials*	Cite No. ¹	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (# known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear	T ⁶
	3	WO 01/57204	08/09/2001	PCT		
	4	WO 03/105780	12/24/03	PCT		

NON PATENT LITERATURE DOCUMENTS			
Examiner Initials*	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T ²
	5	Abe et al., "Specific inhibition of influenza virus RNA polymerase and nucleoprotein gene expression by circular dumbbell RNA/DNA chimeric oligonucleotides containing antisense phosphodiester oligonucleotides," <i>FEBS Letters</i> , 425(1):91-96 (1998).	
	6	Altschul et al., "Basic local alignment search tool," <i>Journal of Molecular Biology</i> , 215:403-410 (1990).	
	7	Aoki et al., "Effects of cerebroplegic solutions during hypothermic circulatory arrest and short-term recovery," <i>Journal of Thoracic and Cardiovascular Surgery</i> , 108:291-301 (1994).	
	8	Ardailou et al., "Production et activite proinflammatoire de necrose tumorale alpha dans le glomerule," <i>L'Academie Nationale de Medecine</i> , 179:103-116 (1995).	
	9	Attiga et al., "Inhibitors of prostaglandin synthesis inhibit human prostate tumor cell invasiveness and reduce the release of matrix metalloproteinases," <i>Cancer Research</i> , 60:4629-4637 (2000).	
	10	Baeuerle et al., "Function and activation of NF-κB in the immune system," <i>Annual Review of Immunology</i> , 12:141-179 (1994).	
	11	Baker et al., "Matrix metalloproteinases, their tissue inhibitors and colorectal cancer staging," <i>British Journal of Surgery</i> , 87: 1215-1221 (2000).	
	12	Bellinger et al., "Developmental and neurologic status of children after heart surgery with hypothermic circulatory arrest or low-flow cardiopulmonary bypass," <i>New England Journal of Medicine</i> , 332:549-555 (1995).	
	13	Bennett et al., "Inhibition of vascular smooth muscle cell proliferation in vitro and in vivo by C-myc	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	2	of	12	Attorney Docket Number	ANGES-9

		antisense oligodeoxynucleotides," <i>Journal of Clinical Investigation</i> , 93:820-828 (1994).	
	14	Berkowitz et al., "Multiple sequence elements of a single functional class are required for cyclic AMP responsiveness of the mouse <i>c-fos</i> promoter," <i>Molecular and Cellular Biology</i> , 9(10):4272-4281 (1989).	
	15	Bielinska et al., "Regulation of gene expression with double-stranded phosphorothioate oligonucleotides," <i>Science</i> , 250(4983):997-1000 (1990).	
	16	Bond et al., "Synergistic upregulation of metalloproteinase-9 by growth factors and inflammatory cytokines: an absolute requirement for transcription factor NF- κ B," <i>FEBS Letter</i> , 435:29-34 (1998).	
	17	Bond et al., "Nuclear factor κ B activity is essential for matrix metalloproteinase-1 and -3 upregulation in rabbit dermal fibroblasts," <i>Biochemical and Biophysical Research Communications</i> , 264:561-567 (1999).	
	18	Briata et al., "c-myc Gene expression in human cells is controlled by glucose," <i>Biochemical and Biophysical Research Communications</i> , 165(3):1123-1129 (1989).	
	19	Brown et al., "Effect of phosphorothioate modification of oligodeoxynucleotides on specific protein binding," <i>The Journal of Biological Chemistry</i> , 269(43):26801-26805 (1994).	
	20	Brunner et al., "Single bilayer vesicles prepared without sonication physico-chemical properties," <i>Biochimica et Biophysica Acta Biomembranes</i> , 455(2):322-331 (1976).	
	21	Burgess et al., "The antiproliferative activity of c-myc and c-myc antisense oligonucleotides in smooth muscle cells is caused by a nonantisense mechanism," <i>PNAS</i> , 92:4051-4055 (1995).	
	22	Cereghini et al., "A liver-specific factor essential for albumin transcription differs between differentiated and dedifferentiated rat hepatoma cells," <i>Genes and Development</i> , 2(8):957-974 (1988).	
	23	Cheng et al., "Caspase inhibitor affords neuroprotection with delayed administration in a rat model of neonatal hypoxic-ischemic brain injury," <i>Journal of Clinical Investigation</i> , 101:1992-1999 (1998).	
	24	Christman et al., "Nuclear factor κ B: a pivotal role in the systemic inflammatory response syndrome and new target for therapy," <i>Intensive Care Medicine</i> 24:1131-1138 (1998).	
	25	Clemens et al., "Global cerebral ischemia activates nuclear factor- κ B prior to evidence of DNA fragmentation," <i>Molecular Brain Research</i> , 48:187-196 (1997).	
	26	Clowes et al., "Mechanisms of stenosis after arterial injury," <i>Laboratory Investigation</i> , 49(2):208-215 (1983).	
	27	Cole et al., "Efficient priming of CD8 ⁺ memory T cells specific for a subdominant epitope following	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	3	of	12	Attorney Docket Number	ANGES-9

		Sendai virus infection," <i>Journal of Immunology</i> , 158:4301-4309 (1997).	
28		Cooper et al., "Myocardial nuclear factor- κ B activity and nitric oxide production in rejecting cardiac allografts," <i>Transplantation</i> , 66(7):838-844 (1998).	
29		Corpet, "Multiple sequence alignment with hierarchical clustering," <i>Nucleic Acids Research</i> , 16(22):10881-10890 (1988).	
30		Coward et al., "NF- κ B and TNF- α : A Positive Autocrine Loop in Human Lung Mast Cells?," <i>J. Immunology</i> , 169:5287-5293 (2002).	
31		Currier et al., "Restenosis after percutaneous transluminal coronary angioplasty: have we been aiming at the wrong target?," <i>The American College of Cardiology</i> , 25(2):516-520 (1995).	
32		Davis, "The mitogen-activated protein kinase signal transduction pathway," <i>The Journal of Biological Chemistry</i> , 268(20):14553-14556 (1993).	
33		Deamer, "Preparation and properties of ether-injection liposomes," <i>Annals of the New York Academy of Sciences</i> , 308:250-258 (1978).	
34		Denhardt, "Oncogene-initiated aberrant signaling engenders the metastatic phenotype: synergistic transcription factor interactions are targets for cancer therapy," <i>Critical Reviews in Oncogenesis</i> , 7(3&4):261-269 (1996).	
35		Depre et al., "Unloaded heart <i>in vivo</i> replicates fetal gene expression of cardiac hypertrophy," <i>Nature Medicine</i> , 4(11):1269-1275 (1998).	
36		Di Paolo et al., "High glucose concentration induces the overexpression of transforming growth factor- β through the activation of a platelet-derived growth factor loop in human mesangial cells," <i>American Journal of Pathology</i> , 149(6):2095-2106 (1996).	
37		Dzau et al., "Fusigenic viral liposome for gene therapy in cardiovascular diseases," <i>PNAS</i> , 93:11421-11425 (1996).	
38		Eberhardt et al., "Amplification of IL-1 β -induced matrix metalloproteinase-9 expression by superoxide in rat glomerular mesangial cells is mediated by increased activities of NF- κ B and activating protein-1 and involves activation of the mitogen-activated protein kinase pathways," <i>Journal of Immunology</i> , 165:5788-5797 (2000).	
39		Farias et al., "Plasma metalloproteinase activity is enhanced in the euglobulin fraction of breast and lung cancer patients," <i>International Journal of Cancer</i> , 89:389-394 (2000).	
40		Gaetani et al., "Metalloproteases and intracranial vascular lesions," <i>Neurological Research</i> , 21:385-390	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	4	of	12	Attorney Docket Number	ANGES-9

		(1999).	
41	Gao et al., "Phosphorothioate oligonucleotides are inhibitors of human DNA polymerases and Rnase H: implications for antisense technology," <i>Molecular Pharmacology</i> , 41(1):223-229 (1992).		
42	Gish et al., "Identification of protein coding regions by database similarity search," <i>Nature Genetics</i> , 3:266-272 (1993).		
43	Grilli et al., "Neuroprotection by aspirin and sodium salicylate through blockade of NF- κ B activation," <i>Science</i> , 274:1383-1385 (1996).		
44	Hagihara et al., "Widespread gene transfection into the central nervous system of primates," <i>Gene Therapy</i> , 7:759-763 (2000).		
45	Hasan et al., "Creation of an infections recombinant Sendai virus expressing the firefly luciferase gene from the 3' proximal first locus," <i>Journal of General Virology</i> , 78:2813-2820 (1997).		
46	Hessel et al., "Bronchoconstriction and airway hyperresponsiveness after ovalbumin inhalation in sensitized mice," <i>European Journal of Pharmacology, Environmental Toxicology and Pharmacology Section 293</i> , 401-412 (1995)		
47	Higgins et al., "Clustal: a package for performing multiple sequence alignment on a microcomputer," <i>Gene</i> , 73(1):237-244 (1988).		
48	Higgins et al., "Fast and sensitive multiple sequence alignments on a microcomputer," <i>Computer Applications in the Biosciences</i> , 5(2):151-153 (1989).		
49	Higgins et al., "Using CLUSTAL for multiple sequence alignments," <i>Methods in Enzymology</i> , 266:383-402 (1996).		
50	Horikawa et al., "Association of latent membrane protein 1 and matrix metalloproteinase 9 with metastasis in nasopharyngeal carcinoma," <i>Cancer</i> , 89:715-723 (2000).		
51	Howard et al., "NF- κ B is activated and ICAM-1 gene expression is upregulated during reoxygenation of human brain endothelial cells," <i>Neuroscience Letters</i> , 248:199-203 (1998).		
52	Hu et al., "Activation of mitogen-activated protein kinases (ERK/JNK) and AP-1 transcription factor in rat carotid arteries after balloon injury," <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 17(11):2808-2816 (1997).		
53	Huang et al., "Parallelization of a local similarity algorithm," <i>Computer Applications in the Biosciences</i> , 8(2):155-165 (1992).		
54	Inaba et al., "Enhanced expression of platelet-derived growth factor- β receptor by high glucose,"		

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	5	of	12	Attorney Docket Number	ANGES-9

		<i>Diabetes</i> , 45:507-512 (1996).	
	55	Ikeda et al., "Inhibition of gelatinolytic activity in tumor tissues by synthetic matrix metalloproteinase inhibitor: application of film <i>in situ</i> zymography," <i>Clinical Cancer Research</i> , 6:3290-3296 (2000).	
	56	Izumi et al., "Gene transfer of dominant-negative mutants of extracellular signal-regulated kinase and c-Jun NH2-terminal kinase prevents neointimal formation in balloon-injured rat artery," <i>Circulation Research</i> , 88:1120-1126 (2001).	
	57	Jia et al., "Suppression of human microvascular endothelial cell invasion and morphogenesis with synthetic matrixin inhibitors," <i>Angiogenesis: From the Molecular to Integrative Pharmacology</i> ," Edited by Maragoudakis, Kluwer Academic/Plenum Publishers, New York (2000).	
	58	Johnston, "The characteristics required for a Sendai virus preparation to induce high levels of interferon in human lymphoblastoid cells," <i>Journal of General Virology</i> , 56:175-184 (1981).	
	59	Jonas, "Hypothermia, circulatory arrest, and the pediatric brain," <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 10:66-74 (1996).	
	60	Kaneda et al., "Gene therapy using HVJ-liposomes: the best of both worlds?," <i>Molecular Medicine Today</i> , 5:298-303 (1999).	
	61	Kanda et al., "The role of the activated form of matrix metalloproteinase-2 in urothelial cancer," <i>BJU International</i> , 86:553-557 (2000).	
	62	Karin, "The regulation of AP-1 activity by mitogen-activated protein kinases," <i>The Journal of Biological Chemistry</i> , 270(28):16483-16486 (1995).	
	63	Kawauchi et al., "Gene therapy for attenuating cardiac allograft arteriopathy using ex vivo E2F decoy transfection by HVJ-AVE-liposome method in mice and nonhuman primates," <i>Circulation Research</i> , 87(11):1063-1068 (2000).	
	64	Khaled et al., "Use of Phosphorothioate-modified oligodeoxynucleotides to inhibit NF- κ B expression and lymphocyte function," <i>Clinical Immunology and Immunopathology</i> , 86(2):170-179 (1998).	
	65	Khaled et al., "Multiple mechanisms may contribute to the cellular anti-adhesive effects of phosphorothioate oligodeoxynucleotides," <i>Nucleic Acids Research</i> , 24(4):737-745 (1996).	
	66	Kim et al., "Lipopolysaccharide activates matrix metalloproteinase-2 in endothelial cells through an NF- κ B-dependent pathway," <i>Biochemical and Biophysical Research Communications</i> , 269:401-405 (2000).	
	67	Kirino, "Delayed neuronal death in the gerbil hippocampus following ischemia," <i>Brain Research</i> , 239:57-69 (1982).	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	6	of	12	Attorney Docket Number	ANGES-9

68	Kirklin et al., "The damaging effects of total circulatory arrest during hypothermia," <i>Cardiac Surgery</i> , 1:66-73 (1993).	
69	Koyama et al., "Cell replication in the arterial wall: activation of signaling pathway following in vivo injury," <i>Circulation Research</i> , 82:713-721 (1998).	
70	Kuner et al., " β -amyloid binds to p75 ^{NTR} and activates NF κ B in human neuroblastoma cells," <i>Journal of Neuroscience Research</i> , 54:798-804 (1998).	
71	Kuroya et al., "Newborn virus pneumonitis (type Sendai) II Report: the isolation of a new virus possessing hemagglutinin activity," <i>Yokohama Medicine Bulletin</i> , 4(4):217-233 (1953).	
72	Kurth et al., "Regional patterns of neuronal death after deep hypothermic circulatory arrest in newborn pigs," <i>Journal of Thoracic Cardiovascular Surgery</i> , 118:1068-1077 (1999).	
73	La Rosa et al., "Differential regulation of the c-myc oncogene promoter by the NF- κ B rel family of transcription factors," <i>Molecular and Cellular Biology</i> , 14(2):1039-1044 (1994).	
74	Larrouy et al., "Rnase H-mediated inhibition of translation by antisense oligodeoxyribo-nucleotides: use of backbone modification to improve specificity," <i>Gene</i> , 121:189-194 (1992).	
75	Ledley, "Nonviral Gene Therapy: The Promise of Genes as Pharmaceutical Products," <i>Human Gene Therapy</i> 6:1129-1144 (1995).	
76	Lenardo et al., "NF- κ B: A pleiotropic mediator of inducible and tissue-specific gene control," <i>Cell</i> , 58:227-229 (1989).	
77	Libermann et al., "Activation of interleukin-6 gene expression through NF- κ B transcription factor," <i>Molecular and Cellular Biology</i> , 10(5):2327-2334 (1990).	
78	Lim et al., "Sequence-independent inhibition of RNA transcription by DNA dumbbells and other decoys," <i>Nucleic Acids Research</i> , 25(3):575-581 (1997).	
79	Lin et al., "Cancer chemoprevention by tea polyphenols through mitotic signal transduction blockade," <i>Biochemical Pharmacology</i> , 58:911-915 (1999).	
80	Lindner et al., "Role of basic fibroblast growth factor in vascular lesion formation," <i>Circulation Research</i> , 68:106-113 (1991).	
81	Liu et al., "Restenosis after coronary angioplasty," <i>Circulation</i> , 79:1374-1387 (1989).	
82	Mann et al., "Ex-vivo gene therapy of human vascular bypass grafts with E2F decoy: the PREVENT single-centre, randomised, controlled trial," <i>Lancet</i> , 354:1493-1498 (1999).	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	7	of	12	Attorney Docket Number	ANGES-9

83	Marcus-Sekura et al., "Techniques for using antisense oligodeoxyribonucleotides to study gene expression," <i>Analytical Biochemistry</i> , 172:289-295 (1988).
84	Marti, "New strategy to treat glomerular inflammation by inhibition of mesangial cell matrix metalloproteinases," Abteilung Nephrologie/Hypertonie, Inselspital, Berne, <i>Schweiz Med Wochenschr.</i> , 130(21):784-8.
85	Miagkov et al., "NF- κ B activation provides the potential link between inflammation and hyperplasia in the arthritic joint," <i>PNAS</i> , 95:13859-13864 (1998).
86	Miano et al., "Smooth muscle cell immediate-early gene and growth factor activation follows vascular injury," <i>Arteriosclerosis and Thrombosis</i> , 13(2):211-219 (1993).
87	Moon et al., "Potent growth inhibition of leukemic cells by novel ribbon-type antisense oligonucleotides to c-mylb1," <i>The Journal of Biological Chemistry</i> , 275(7):4647-4653 (2000).
88	Morishita et al., "Single intraluminal delivery of antisense cdc2 kinase and proliferating-cell nuclear antigen oligonucleotides results in chronic inhibition of neointimal hyperplasia," <i>PNAS</i> , 90:8474-88478 (1993).
89	Morishita et al., "Intimal hyperplasia after vascular injury is inhibited by antisense cdk 2 kinase oligonucleotides," <i>The Journal of Clinical Investigation</i> , 93:1458-1464 (1994).
90	Morishita et al., "Novel strategy of gene therapy in cardiovascular disease with HVJ-liposome method," Koide H. Ichikawa I (eds): <i>Progression of Chronic Renal Diseases</i> , Contrib Nephrol. Basel, Karger, 118:254-264 (1996).
91	Morishita et al., "In vivo transfection of cis element "decoy" against nuclear factor- κ B binding site prevents myocardial infarction," <i>Nature Medicine</i> , 3(8):894-899 (1997).
92	Morishita et al., "A gene therapy strategy using a transcription factor decoy of the E2F binding site inhibits smooth muscle proliferation in vivo," <i>PNAS</i> , 92(13):5855-59 (1995).
93	Mosser et al., "Use of dicistronic expression cassette encoding the green fluorescent protein for the screening and selection of cells expressing inducible gene products," <i>BioTechniques</i> , 22:150-161 (1997).
94	Motokuni et al., <i>Nippon Rinsho</i> , 59(1):43-52 (2002) (Japanese Version).
95	Mulligan, "The basic science of gene therapy," <i>Science</i> , 260:926-932 (1993).
96	Myers et al., "Optimal alignments in linear space," <i>Computer Applications in the Biosciences</i> , 4(1):11-17 (1988).

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	8	of	12	Attorney Docket Number	ANGES-9

97	Natarajan et al., "Angiotensin II signaling in vascular smooth muscle cells under high glucose conditions," <i>Hypertension</i> , 33:378-384 (1999).
98	Needleman et al., "A general method applicable to the search for similarities in the amino acid sequence of two proteins," <i>Journal of Molecular Biology</i> , 48:443-453 (1970).
99	Neish et al., "Functional analysis of the human vascular cell adhesion molecule 1 promoter," <i>Journal of Experimental Medicine</i> , 176:1583-1593 (1992).
100	Ohashi et al., "Role of p38 mitogen-activated protein kinase in neointimal hyperplasia after vascular injury," <i>Arteriosclerosis and Thrombosis Vascular Biology</i> , 20(12):2521-2526 (2000).
101	Okada et al., "Correlation between the hemagglutination titer and the virus particle number of HIV," <i>Biken's Journal</i> , 4:209-213 (1961).
102	Ono et al., "Decoy Administration of NF-KB into the Subarachnoid Space of Cerebral Angiopathy," <i>Human Gene Therapy</i> , 9(7):1003-1011 (1998) and Ono et al., <i>Human Gene Therapy</i> , 10:335 (1999).
103	Osada et al., "Expression and localization of nuclear factor-kappa B subunits in cultured human paranasal sinus mucosal cells," <i>Rhinology</i> , 41:80-86 (2003).
104	Pagano et al., "Cyclin A is required at two points in the human cell cycle," <i>The EMBO Journal</i> , 11(3):961-971 (1992).
105	Pagano et al., "Association of cdk2 kinase with the transcription factor E2F during S phase," <i>Science</i> , 255 (5048):1144-1147 (1992).
106	Pardee, "A restriction point for control of normal animal cell proliferation," <i>PNAS</i> , 71(4):1286-1290 (1974).
107	Parthasarathy et al., "Aerosol delivery of liposomal all-trans-retinoic acid to the lungs," <i>Cancer Chemotherapy and Pharmacology</i> , 43:277-283 (1999)
108	Pauletto et al., "Smooth-muscle-cell proliferation and differentiation in neointima formation and vascular restenosis," <i>Clinical Science</i> , 87(5):467-479 (1994).
109	Pearson et al., "Improved tools for biological sequence comparison," <i>PNAS</i> , 85:2444-2448 (1988).
110	Pearson, "Using the FASTA program to search protein and DNA sequence databases," <i>Methods in Molecular Biology</i> , 24:307-331 (1994).
111	Pellegrini et al., "Simultaneous measurement of soluble carcinoembryonic antigen and the tissue

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	9	of	12	Attorney Docket Number	ANGES-9

		inhibitor of metalloproteinase TIMP1 serum levels for use as markers of pre-invasive to invasive colorectal cancer," <i>Cancer Immunology Immunotherapy</i> , 49:388-394 (2000).	
	112	Peters et al., "Functional polymorphism in the matrix metalloproteinase-9 promoter as a potential risk factor for intracranial aneurysm," <i>Stroke</i> , 30:2612-2616 (1999).	
	113	Preston et al., "Evidence for pore-like opening of the blood-brain barrier following forebrain ischemia in rats," <i>Brain Research</i> , 761:4-10 (1997).	
	114	Pyles et al., "Activation of MAP kinases in vivo follows balloon overstretch injury of porcine coronary and carotid arteries," <i>Circulation Research</i> , 81:904-910 (1997).	
	115	Rappaport et al., "Relation of seizures after cardiac surgery in early infancy to neurodevelopmental outcome," <i>Circulation</i> , 97:773-779 (1998).	
	116	Rayet et al., "Aberrant <i>rel/nfkb</i> genes and activity in human cancer," <i>Oncogene</i> , 18:6938-6947 (1999).	
	117	Reich et al., "Cardiopulmonary support and physiology," <i>Journal of Thoracic and Cardiovascular Surgery</i> , 117:156-163 (1999).	
	118	Rosenblatt et al., "Human cyclin-dependent kinase 2 is activated during the S and G ₂ phases of the cell cycle and associates with cyclin A," <i>PNAS</i> , 89:2824-2828 (1992).	
	119	Ross, "The pathogenesis of atherosclerosis: a perspective for the 1990s," <i>Nature</i> , 362:801-808 (1993).	
	120	Royds et al., "Response of tumour cells to hypoxia: Role of p53 and NFκB," <i>Journal of Clinical Pathology, Molecular Pathology</i> , 51:55-61 (1998).	
	121	Sakata et al., "Expression of matrix metalloproteinases (MMP-2, MMP-9, MT1-MMP) and their inhibitors (TIMP-1, TIMP-2) in common epithelial tumors of the ovary," <i>International Journal of Oncology</i> , 17:673-681 (2000).	
	122	Satriano et al., "Activation and attenuation of transcription factor NF-κB in mouse glomerular mesangial cells in response to tumor necrosis factor-α, immunoglobulin G, and adenosine 3':5'-cyclic monophosphate," <i>Journal of Clinical Investigation</i> , 94:1629-1636 (1994).	
	123	Sawa et al., "A novel strategy for myocardial protection using in vivo transfection of cis element 'decoy' against NFκB binding site," <i>Circulation</i> , 96(9):II-280-II-285 (1997).	
	124	Schneider et al., "NF-κB is activated and promotes cell death in focal cerebral ischemia," <i>Nature Medicine</i> , 5(4):554-559 (1999).	
	125	Schöler et al., "Specific interaction between enhancer-containing molecules and cellular components,"	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	10	of	12	Attorney Docket Number	ANGES-9

		<i>Cell</i> , 36(2):403-411 (1984).	
	126	Schreck et al., "Reactive oxygen intermediates as apparently widely used messengers in the activation of the NF- κ B transcription factor and HIV-1," <i>The EMBO Journal</i> , 10(8):2247-2258 (1991).	
	127	Schulze-Osthoff et al., "Regulation of NF- κ B activation by MAP kinase cascades," <i>Immunobiology</i> , 198:35-49 (1997).	
	128	Schwartz et al., "The intima," <i>Circulation Research</i> , 77:445-465 (1995).	
	129	Seger et al., "The MAPK signaling cascade," <i>The FASEB Journal</i> , 9(9):726-735 (1995).	
	130	Shin et al., "Effects of tumor necrosis factor- α and interferon- γ on expression of matrix metalloproteinase-2 and -9 in human bladder cancer cells," <i>Cancer Letters</i> , 159:127-134 (2000).	
	131	Simons et al., "Antisense c-myc oligonucleotides inhibit intimal arterial smooth muscle cell accumulation in vivo," <i>Nature</i> , 359:67-70 (1992).	
	132	Simons et al., "Antisense Proliferation Cell Nuclear Antigen Oligonucleotides Inhibit Hyperplasia in a Rat Carotid Artery Injury Model," <i>Journal of Clinical Investigation</i> , 93:2351-2356 (1994).	
	133	Smith, "Comparison of biosequences," <i>Advances in Applied Mathematics</i> , 2(4):482-489 (1981).	
	134	Stein et al., "Oligodeoxynucleotides as inhibitors of gene expression: a review," <i>Cancer Research</i> , 48(10):2659-2668 (1988).	
	135	Stephenson et al., "Transcription factor nuclear factor-kappa-B is activated in neurons after focal cerebral ischemia," <i>Journal of Cerebral Blood Flow and Metabolism</i> , 20:592-603 (2000).	
	136	Sullenger et al., "Analysis of <i>trans</i> -acting response decoy RNA-mediated inhibition of human immunodeficiency virus type 1 transactivation," <i>Journal of Virology</i> , 65(12):6811-6816 (1991).	
	137	Suzuki et al., "Reconstituted fusion liposomes for gene transfer <i>in vitro</i> and <i>in vivo</i> ," <i>Gene Therapy and Regulation</i> , 1:65-77 (2000).	
	138	Szoka et al., "Preparation of unilamellar liposomes of intermediate size (0.1-0.2 μ m) by a combination of reverse phase evaporation and extrusion through polycarbonate membranes," <i>Biochimica et Biophysica Acta Biomembranes</i> , 601(3):559-571 (1980).	
	139	Tanaka et al., "Sequence-specific interaction of α - β -anomeric double-stranded DNA with the p50 subunit of NF κ B: application to the decoy approach," <i>Nucleic Acids Research</i> , 22(15):3069-3074 (1994).	

Examiner Signature		Date Considered	
--------------------	--	-----------------	--

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	11	of	12	Attorney Docket Number	ANGES-9

140	Thompson et al., "CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice," <i>Nucleic Acids Research</i> , 22(22):4673-4680 (1994).
141	Tijssen (1993) Laboratory Techniques in Biochemistry and Molecular Biology--Hybridization with Nucleic Acid Probes part I chapter 2 "overview of principles of hybridization and the strategy of nucleic acid probe assays", Elsevier, N.Y.
142	Tomita et al., "Suppressed severity of collagen-induced arthritis by <i>in vivo</i> transfection of nuclear factor κB decoy oligodeoxynucleotides as a gene therapy," <i>Arthritis & Rheumatism</i> , 42(12):2532-2542 (1999).
143	Tomita et al., "Transcription factor decoy for NFκB inhibits TNF-α-induced cytokine and adhesion molecule expression <i>in vivo</i> ," <i>Gene Therapy</i> , 7(15):1326-1332 (2000).
144	Tomita et al., "Transcription factor decoy for NFκB inhibits cytokine and adhesion molecule expressions in synovial cells derived from rheumatoid arthritis," <i>Rheumatology</i> , 39:749-757 (2000).
145	Torre et al., "Partial or global rat brain ischemia: the SCOT model," <i>Brain Research Bulletin</i> , 26(3):365-372 (1991).
146	Treharne et al., "Marimastat inhibits elastin degradation and matrix metalloproteinase 2 activity in a model of aneurysm disease," <i>British Journal of Surgery</i> , 86:1053-1058 (1999).
147	Turner et al., "Role of matrix metalloproteinase 9 in pituitary tumor behavior," <i>Journal of Clinical Endocrinology & Metabolism</i> , 85(8):2931-2935 (2000).
148	Vanicky et al., "Alterations in MAP2 immunostainability after prolonged complete brain ischemia in the rat," <i>NeuroReport</i> , 7:161-164 (1995).
149	Vogt et al., "Oxidative stress and hypoxia/reoxygenation trigger CD95 (APO-1/Fas) ligand expression in microglial cells," <i>FEBS Letters</i> , 429:67-72 (1998).
150	Weintraub et al., "Retinoblastoma protein switches the E2F site from positive to negative element," <i>Nature</i> , 358:259-261 (1992).
151	Whitmarsh et al., "Transcription factor AP-1 regulation by mitogen-activated protein kinase signal transduction pathways," <i>Journal of Molecular Medicine</i> , 74(10):589-607 (1996).
152	Wu et al., "NF-κB activation of p53," <i>Journal of Biological Chemistry</i> , 269(31):20067-20074 (1994).
153	Yasunari et al., "Mechanisms of action of troglitazone in the prevention of high glucose-induced migration and proliferation of cultured coronary smooth muscle cells," <i>Circulation Research</i> , 81:953 (1997).

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--

Substitute for form 1449A/B/PTO INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use as many sheets as necessary)				Complete if Known	
				Application Number	10/564,269
				Filing Date	February 22, 2006
				First Named Inventor	Ryuichi Morishita, et al.
				Art Unit	1633
				Examiner Name	Scott Long
Sheet	12	of	12	Attorney Docket Number	ANGES-9

154	Yokoseki et al., "cis element decoy against nuclear factor-κB attenuates development of experimental autoimmune myocarditis in rats," <i>Circulation Research</i> , 89:899-906 (2001).	
155	Yonemitsu et al., "Efficient gene transfer to airway epithelium using recombinant Sendai virus," <i>Nature Biotechnology</i> , 18:970-973 (2000).	
156	Yoshima et al., "Comparative study of the carbohydrate moieties of rat and human plasma α1-acid glycoproteins," <i>Journal of Biological Chemistry</i> , 256(16):8476-8484 (1981).	
157	Yoshizumi et al., "Down-regulation of the cyclin a promoter by transforming growth factor- β1 is associated with a reduction in phosphorylated activating transcription factor-1 and cyclic AMP-responsive element-binding protein," <i>The Journal of Biological Chemistry</i> , 272(35):22259-22264 (1997).	
158	Young, BD & Anderson, MLM in Nucleic Acid Hybridization—A Practical Approach (eds Hames, BD & Higgins, SJ) 47–71 (IRL, Oxford, 1985).	

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.

Examiner Signature		Date Considered	
-----------------------	--	--------------------	--